

# METAVIC

Since 1982



**Quality, reliability,  
strength and durability**

**METAVIC loaders** are designed to be used in the most demanding forest conditions.

# METAVIC loaders are made entirely in Quebec

With high quality components, hoses two strands of steel with high resistance to UV rays and standard hydraulic fittings. The cylinders are designed and manufactured to provide METAVIC unmatched durability.




## Mast

The mast design allows you to load closer to the guard to maximize trailer loading.



## The articulations

Large ring range types combined to the use of main hardened steel joint provide unmatched durability.



## Series M95

Tractor 20 HP and more



## Series 1150

Tractor 30 HP and more



Loaders	Series M95		Series 1150			Series 1400			
Models	M95 ATV's	M95 Tractor	1150	1150M13	1150M14	1400 (XT)	1600 (XT)	1800HD (XT)	2100HD (XT)
Length of mast	9'-6"	9'-6"	11'-6"	13'	14"	14'	16'	18'	21'
Boom extended (XT)						Optional 14' to 17'	Optional 16' to 19'	Optional 18' to 21'	Optional 21' to 24'
Total height	48"	48"	66"	66"	66"	84"	84"	84"	84"
Total width	30"	30"	40"	40"	40"	48"	48"	62"	62"
Boom rotation	270°	270°	270°	270°	270°	270°	270°	270°	270°
Grapple rotation	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Lifting capacity	800 lbs	1 000 lbs	1 500 lbs	1 500 lbs	1 750 lbs	2 200 lbs	2 000 lbs	2 300 lbs	1 900 lbs
Grapple opening	29"	29"	32"	32"	32"	40" or 52"	40" or 52"	40" or 52"	40" or 52"
Pump and motor	5,5 HP	Optional 5,5 HP	Optional 9 HP	Optional 9 HP	Optional 9 HP	Optional 13 HP	Optional 13 HP	Optional 13 HP	Optional 13 HP
PTO pump		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Hydraulic winch	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grapple closure	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Weight	600 lbs	600 lbs	1 025 lbs	1 100 lbs	1 200 lbs	1 525 lbs	1 675 lbs	2 350 lbs	2 500 lbs

## METAVIC Team

Is continuously listening to customers and strives to exceed the requirements of the market in terms of stability, smooth operation, maintenance and performance.



### Grapple

The curve of the grapple facilitates clamp position to pick up more material per operation. This results in unmatched productivity.



### Pressure gauge

The dial allows the operator to ensure that the oil pressure is within specifications in accordance to the manufacturer parameters.



### Series 1400

Tractor 65 HP and more



Trailers	Series M95		Series 1150		Series 1400		
Models	12RF	13RF	15RF	15RF	17RF	18RF	22RF
For trailers	M95 ATV's	M95 Tractor	1150 1150M13	1150M14	1400 (XT)	1400 (XT) 1600 (XT)	1600 (XT) 1800HD (XT) 2100HD (XT)
Overall length	11'-6"	13'	16'-2"	16'-2"	17'	18'	22'
Load length	9' (8 post)	9' (8 post)	11' (8 post)	11' (8 post)	12' (12 post)	13' (12 post)	15' (12 post)
Tires	25x12x10	11L15 Rally	11L15	12.5L15	12.5L15	16.5L16.1	500/50-17
Height with post	44"	53 1/2"	62"	62"	62"	78"	78"
Outer width of wheels	51"	54"	66"	70"	80"	90"	90"
Height with loader	66"	71 1/2"	89 1/2"	89 1/2"	110"	115"	115"
Load capacity	3 000 lbs	6 000 lbs	10 000 lbs	12 000 lbs	14 000 lbs	18 500 lbs	24 000 lbs
TRAC system			Optional	Optional	Optional	Optional	Optional
Assisted control	Optional		Optional	Optional	Optional	Optional	Optional
Articulated draw bar			Optional	Optional	Optional	Optional	Optional
Weight	450 lbs	775 lbs	1 250 lbs	1 300 lbs	1 700 lbs	2 600 lbs	2 840 lbs

## METAVIC Customer

Benefit from acquired expertise **over the past 30 years**. They especially appreciate smoothness of operation, **stability, quality, reliability, strength and durability of our loaders**.

## Options



### Hydraulic winch

METAVIC winches are built into the frame and completely independent of the mast. Being very compact, too allow maximizing the loading of the trailer. Winches are durable and offer the possibility of working in areas wick are practically inaccessible.

	M95 ATV's	M95 Tractor	Series 1150 and 1400
<b>Pull capacity</b>	3 500 lbs	4 000 lbs	6 500 lbs
<b>Length of cable</b>	80'	100'	100'
<b>Cable diameter</b>	1/4"	5/16"	5/16"



TRAC system



Tipper unloader



Hydraulic digger



Sand tipper



Hydraulic auger

## METAVIC loaders an ideal choice

For those looking for a high quality product enjoying one of the best warranties in the industry.



MET-161213-01E

# METAVIC

1439, Rang 1, Saint-Pierre-Baptiste, Quebec GOP 1K0  
 Tel.: 819 365-4376 - Fax: 819 365-9994  
 Email: [info@metavic.ca](mailto:info@metavic.ca) - Internet: [www.metavic.ca](http://www.metavic.ca)

Authorize dealer