

METAVIC
Creating Enjoyment in the Forest.



### PROUDLY PRODUCED IN CANADA

# VERSATILE AND EFFICIENT!

Our loaders with platform trailer are suitable for individuals producing wood logs, sawmills seeking efficiency, arborists on the go, and government entities and national parks looking for a robust solution tailored to their diverse needs. Metavic provides unparalleled efficiency in handling loads. Thanks to our high-quality hydraulic control, each task becomes a smooth and precise operation.











#### A - STABLE

Every trailer is designed to accommodate a loader, guaranteeing exceptional balance and stability during load and transport.

#### **D - POWERFUL AND RELIABLE**

Our gasoline-powered, Honda hydraulic unit withstands Canada's harsh winters and allows you to operate the loader independently from your vehicle. And our LED lights last longer than ever!

## **B- REVOLUTIONARY GRAPPLE**

Thanks to its exclusive curve, our grapple makes it easy to pick up wood logs without crushing them, increasing lifting capacity while preserving the quality of the wood.

### **E - EXCEPTIONAL QUALITY**

At Metavic, the galvanization of our trailers ensures durable equipment. Furthermore, we pay attention to every detail: the wiring and connectors are sealed.

#### **C - STEADY TRAILER**

The butterfly stabilizer legs attached to the loader allow the trailer to stay put during loading or unloading, keeping you anchored to the ground!

#### **F - UTMOST SAFETY**

Thanks to our protective plate, which prevents logs from hitting both the loader and you, bringing felled trees closer together becomes easy. This frees up more space for increased productivity. Multiple positions are possible thanks to the removable poles.

# **SPECIFICATIONS**

| Loader  | 1150M14   | 1150M16  | 1600  |
|---|---|--|---|
| Boom lenght   | 14 ft   | 16 ft  | 16 ft   |
| Loader height   | 66 in   | 66 in  | 84 in   |
| Loader width  | 40 in   | 40 in  | 48 in   |
| Loader rotation   | 270°  | 270°   | 270°  |
| Grapple rotation  | Continuous  | Continuous   | Continuous  |
| Lifting capacity (full reach)   | 900 lb  | 800 lb   | 1250 lb   |
| Lifting capacity (half reach)   | 2 600 lb  | 2 500 lb   | 3 400 lb  |
| Opening of the grapple  | 36 in   | 36 in  | 40 in   |
| Closing of the grapple  | 4,50 in   | 4,50 in  | 4,5 in  |
| Honda Hydraulic power plant   | 9 HP  | 9 HP   | 13 HP   |
| Loader weight   | 1 200 lb  | 1 275 lb   | 1 700 lb  |
| Tueller   | Commont 44 ft   | 0  | Compact 46 ft   |
| Trailer   | Compact 14 ft   | Compact 16 ft  | Compact 16 ft   |
| Weight on hitch (+/- 200 lb)  | 800 lb  | 800 lb   | 800 lb  |
|   | •   | •  | <u> </u>  |
| Weight on hitch (+/- 200 lb)  | 800 lb  | 800 lb   | 800 lb  |
| Weight on hitch (+/- 200 lb)  Axles   | 800 lb<br>2 x 7 000 lb  | 800 lb<br>2 x 7 000 lb   | 800 lb<br>2 x 7 000 lb  |
| Weight on hitch (+/- 200 lb)  Axles  Brakes   | 800 lb<br>2 x 7 000 lb<br>Electric  | 800 lb<br>2 x 7 000 lb<br>Electric   | 800 lb<br>2 x 7 000 lb<br>Electric  |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght   | 800 lb<br>2 x 7 000 lb<br>Electric<br>19 ft                                       | 800 lb<br>2 x 7 000 lb<br>Electric<br>21 ft  | 800 lb<br>2 x 7 000 lb<br>Electric<br>21 ft                                       |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght  Total width  | 800 lb 2 x 7 000 lb Electric 19 ft 85 in  | 800 lb 2 x 7 000 lb Electric 21 ft 85 in   | 800 lb 2 x 7 000 lb Electric 21 ft 85 in  |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght  Total width  Height from the ground  | 800 lb 2 x 7 000 lb Electric 19 ft 85 in 36 in                                    | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in   | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in                                    |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght  Total width  Height from the ground  Loading length                              | 800 lb 2 x 7 000 lb Electric 19 ft 85 in 36 in 14 ft                              | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft                                       | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft                              |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght  Total width  Height from the ground  Loading length  Loading width               | 800 lb 2 x 7 000 lb Electric 19 ft 85 in 36 in 14 ft 80 in                        | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft 80 in                                 | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft 80 in                        |
| Weight on hitch (+/- 200 lb)  Axles  Brakes  Total lenght  Total width  Height from the ground  Loading length  Loading width  Poles height | 800 lb 2 x 7 000 lb Electric 19 ft 85 in 36 in 14 ft 80 in 33 in (fixed)          | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft 80 in 33 in (fixed)                   | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft 80 in 33 in (fixed)          |
| Weight on hitch (+/- 200 lb)  Axles Brakes Total lenght Total width Height from the ground Loading length Loading width Poles height Weight | 800 lb 2 x 7 000 lb Electric 19 ft 85 in 36 in 14 ft 80 in 33 in (fixed) 2 695 lb | 800 lb  2 x 7 000 lb  Electric  21 ft  85 in  36 in  16 ft  80 in  33 in (fixed)  2 900 lb | 800 lb 2 x 7 000 lb Electric 21 ft 85 in 36 in 16 ft 80 in 33 in (fixed) 2 900 lb |

## PERSONALIZED YOUR LOADER

# **AVAILABLE OPTIONS**

Explore ways to customize and enhance the performance of your loader with a Metavic platform trailer. Optimize your equipment for unparalleled versatility and efficiency!

| Steel cable HYDRAULIC WINCH 5/16 IN X 100 FT 6 000 LB | Synthetic cable HYDRAULIC WINCH 5/16 IN X 100 FT 6 000 LB | With belt BARREL WINCH 3 IN X 30 FT | DUMP<br>PLATFORM |
|---|---|-------------------------------------|------------------|
| <b>AXLES</b> 2 X 10 000 LB                            | GALVANIZED<br>RAMP  | STEEL<br>FLOOR                      |                  |



# **METAVIC**

Creating Enjoyment in the Forest.

Since 1982

SCAN THE QR CODE TO VISIT OUR WEBSITE:



1439, Rang 1, Saint-Pierre-Baptiste, Québec G0P 1K0 Phone.: 819 365-4376 - Téléc.: 819 365-9994 Email: info@metavic.ca

www.metavic.ca